


- Conception design
- Alliances, collaborative work, outside sponsors
- Domain history
- Modeling history
- Personnel and their legacy
- Constraints
- Goals

- Conception design local forecast office
- Alliances, collaborative work, outside sponsors
- Domain history
- Modeling history
- Personnel and their legacy
- Constraints
- Goals



We had a choice, bottom up or top down. We chose bottom up.

- Conception design
- Alliances, collaborative work, outside sponsors
 - CWB, KMA, FMI, Forest Service, Universities,
 Users!, DoD, DoT, private sector, international involvement, state/local governments, NOAA....

THANKS!

- Domain history
- Modeling history
- Personnel and their legacy
- Constraints
- Goals

- Conception design
- Alliances, collaborative work, outside sponsors
- Domain history gee any more than 61x61?
- Modeling history
- Personnel and their legacy
- Constraints
- Goals

- Conception design
- Alliances, collaborative work, outside sponsors
- Domain history
- Modeling history started in the early 90s RAMS, MM5, WRF
- Personnel and their legacy
- Constraints
- Goals

- Conception design
- Alliances, collaborative work, outside sponsors
- Domain history
- Modeling history
- Personnel and their legacy a long list!
- Constraints
- Goals

Players over the years

- John McGinley
- Steve Albers (u,v,w,t +)
- Pete Stamus (sfc)
- John Smart (Ism, sat)
- Dan Birkenheuer (q, sat)
- Jim Edwards (make)
- Seth Gutman (gps, qc)
 Kirk Holub (gps)
- Craig Tremback

- Paul Schultz (cld vv, +)
- Mark Jackson (radar)
- John Snook (models)
- Isidora Jankov (wrf)
- Linda Wharton
- Paula McCaslin (AVS +)
- Ed Szoke
- CWB team
- KMA visitors

Players over the years cont.

- Brent Shaw (models)
- Steve Early
- Eric Gregow
- Craig Hartsough
- Jennifer Cram
- FIELD USERS
 - Pablo Santos
 - Matt Foster
 - DEN FO

- Ok Yeon Kim (Covar)
- Jerry Schmidt
- Timothy Hume (NZ)
- Tomi V
- Zoltan Toth
- Brad Beechler
- Scott Macaro
- Wesley Smith
- Students

- Conception design
- Alliances, collaborative work, outside sponsors
- Domain history
- Modeling history
- Personnel and their legacy
- Constraints CPU, now disk space (1km 15min)
- Goals

- Conception design
- Alliances, collaborative work, outside sponsors
- Domain history
- Modeling history
- Personnel and their legacy
- Constraints
- Goals Something happened, we went global
 - And we now are becoming unified in 4dvar/enkf


Some LAPS Milestones

- 1989 Wind Analysis Developed, Radar remapping of V,Z
- 1991 Cloud Analysis / hot start developed and tested in the WISP experiment (with NCAR)
- 1992 T-LAPS installed at 40 ITWS sites using Doppler Winds 2-km resolution every 5-min by 1998

 Compare with national 2-km by ~2013
- 2000s Cloud analysis / hot start elements incorporated into RUC running at NCEP
- 2006 STMAS surface analysis developed & tested at MIT/LL for CoSPA
- 2009 STMAS 3-D analysis developed STMAS (state vars + clouds) → GSI → HRRR in future?

Some of the popular viewgraphs over the years

HORIZONTAL SHAPE MATCHING




Likely the **most relevant viewgraph** related to gradient shape matching proposed and fostered by John McGinley in the early years of LAPS development.

The approach was later applied to satellite data in the early years, later removed for direct radiance assimilation and then reintroduced in the humidity analysis via gradient minimization.

Actually scanned in the sketch that John McGinley drew out and it even appears electronically in some presentations!

Circa 1991?

LAPS CLOUD ANALYSIS





LAPS 3D AVS image

Made the covers of many things including poster (here)

Cover of "year in review" and several presentations and documents.

(this poster resides in Isidora's office)





CIRCA 1997 – early rendition of the 3-d field posted on the web and looped using AVS! and other tools. Introduced first looping 3D image on the LAPS website.

Similar images became images for covers on such publications as FSL in Review.

LAPS A system designed to: Exploit all available data sources (local and global) •> Create analyzed and forecast grids¶ Build products for *specific* forecast applications¶ •> Initialize local-scale model to address local needs¶ Use advanced display technology¶ •>All within the local weather office¶

One of the original slides we used to highlight the purpose that we used to create LAPS. The forecast office was the initial focus and is now one of several players and scales used for LAPS.

Another recount circa 1998 enumerating places and the heterogeneous OS that LAPS had been ported to. It is interesting to note that over the years the heterogeneity of this list is actually shrinking to a degree.

LAPS has been ported to: MIT Lincoln Labs (Orlando, FL experiment) (Sun)¶ University of Oklahoma (VORTEX) (IBM RS6000)¶ Seattle, WA WSFO (HP 755)¶ Salt Lake City, UT WSFO (HP 755)¶ Atlanta, GA (Olympics) (HP 755 / IBM SP2)¶ Monterey, CA WSFO / UC Davis (SGI)¶

Now our focus is more on Intel, GPU, and parallel technology! And MORE compilers

GTE (Cray)§

A 1997 slide showing places where LAPS had been ported to.

Still an emphasis largely on the WFOs to be later overwhelmed by other outside users on a global scale.

LAPS Porting Activities Projects¶ •>Air Force¶ Beijing¶ Atlanta (Olympics)¶ Kennedy and Vandenberg Space Flight Centers¶ AWIPS Build 4.0¶ NWS SOO Ports (via COMET)¶ > Brownsville, TX¶ Las Vegas, NV¶ Lubbock, TX¶ Ruskin (Tampa), FL¶ San Juan, PR¶ Moorhead City, NC¶ Pueblo, CO¶ •> Aberdeen, SD§

Summary

- Where are we going? hope to clarify now
 - Better system (STMAS)
 - Improved error description
 - Simultaneous solution
 - Eye to NCEP formats
 - WRF ties strengthening
 - Ensemble output
- When?
 - Realistically about 1 to 2 years (phase-in approach).
- What DON'T we want to do? export buggy code – HOW? – Enhance our collaboration!